




Graphic instruction for installation of conduit sleeves D1, DD3, GD21, GD22



Encase sleeve over the conduit



Protection foil can be removed before or after the covering of the conduit




Firmly press adhesive collar onto the surface




Permanently sealed!


Graphic instruction for installation of conduit sleeves GD23, RGD50, RGD75, RGD100, RGD125, RGD150, RGD200, FRGD100, FRGD150




Encase sleeve over the conduit




Remove upper part of protection foil




Firmly press upper part of adhesive collar onto the surface



Remove lower part of protection foil



Firmly press lower part of adhesive collar onto the surface



Permanently sealed!

Important: The self-adhesive Tyvek® sleeves are safe and permanently moisture-proof. They are also suitable for gas barriers. Adhesive surfaces could be wood fibreboards, OSB-Boards, vapour barriers or vapour locks, sarking membranes, etc.

Important: Mineral surfaces need to be pre-treated with our EISEDICHT®- BUBI-LF adhesive primer. The surfaces must be dust-free and free of grease as well as dry and stable. In general the seal sleeves are not suitable for the water containing level.

Important: The diameter of the selected sleeve has to have the dimensions fitting for the cable duct in order to guarantee permanent air tightness and strain-relief! The higher the compacting pressure, the better the adhesion of the glued collar.

Note:

The EISEDICHT®- Tyvek Air Seal® Sleeves are manufactured with highly elastic natural rubber (EPDM) connected with a self-adhesive pad, carrier material (base) Tyvek® with an age resistant layer of acrylate adhesive.

Important: The sleeves are delivered talc powdered. If there is insufficient gliding ability, please use the provided talc powder to rework the inner sleeve or the cable or use our EISEDICHT®- Silicon Spray for finishing.

EISEDICHT Luftdichtungsmanschetten

Behrenstr. 3 • D-31737 Rinteln

Tel.: +49 (0) 5751 - 92 15 67 -30

Fax: +49 (0) 5751 - 92 15 67 -90

www.eisedicht.de

info@eisedicht.de

