

| | | | |
|---------------|------------|-----------------|--------------------------|
| Number | 91548/01 | Replaces | -- |
| Issued | 17-03-2016 | Scope | 2009/142/EC (30-11-2009) |
| Report number | 141002299 | Contract number | E 1490 |
| PIN | 0063CQ3299 | | |

EC TYPE EXAMINATION CERTIFICATE (GAD)

Kiwa hereby declares that the **Convection Heaters**, types

Maestro 75 RCH, Maestro 75 CM (PN14026)
Maestro 80/2 RCH, Maestro 80/2 CM (PN15001)
Maestro 80/3 RCH, Maestro 80/3 CM (PN15001)

manufactured by

Dru Verwarming B.V.
Duiven, The Netherlands

meet the essential requirements as described in the
Directive 2009/142/EC relating to appliances burning gaseous fuels.

Appliance types : C11; C31; C91
 Appliance categories : I2H, I2E, I2E+, I2L, I2ELL, I2EK, I3P

Countries:

| | | | |
|------------------------|---------|------------------|----------------|
| Austria | Estonia | Latvia | Romania |
| Belgium | Finland | Liechtenstein | Slovakia |
| Bosnia and Herzegovina | France | Lithuania | Slovenia |
| Bulgaria | Germany | Luxembourg | Spain |
| Croatia | Greece | Malta | Sweden |
| Cyprus | Hungary | Netherlands, the | Switzerland |
| Czech Republic | Ireland | Norway | Turkey |
| Denmark | Iceland | Poland | United Kingdom |
| | Italy | Portugal | |


Certificate

Kiwa Nederland B.V.
 Wilmersdorf 50
 P.O. Box 137
 7300 AC APELDOORN
 The Netherlands

www.kiwa.com


GASTEC




 Luc Leroy
 Kiwa

kiwa
 Approved

EC Directive



2009/142/EC

GASTEC

CE
 0063

DECLARATION TO CERTIFICATE 91548/01

Kiwa Nederland BV. herewith declares that this appliance can be installed with the concentric flue system in aluminium / galvanized steel with the applicable dimensions as mentioned in table 1.

Kiwa Nederland BV. herewith declares that this appliance can be installed with the concentric flue system in stainless steel with the applicable dimensions as mentioned in table 2.

Kiwa Nederland BV. herewith declares that this appliance can be installed with an applicable stainless steel CE approved flexible flue liner or a flexible flue liner supplied by DRU for renovation purposes (C91).

Kiwa Nederland BV. herewith declares that this appliance can be installed with the DRU PowerVent system.

Kiwa Nederland B.V.



W.A. Buiters,
Certification Manager

TABLE 1
(Belongs to Declaration/Certificate 91548/01)

| Description | 150/100 alu-galva | 150/80 alu-galva | 100/60 alu-galva | 300x100 stainless- galva (SMART®) |
|---|----------------------|---------------------|---------------------|--|
| Reducer alu-galva Ø150/80 to Ø100/60 | | | 24146 | |
| Reducer alu-galva Ø150/100 to Ø100/60 | | | 24147 | |
| Reducer alu-galva Ø200/130 to Ø150/100 | 24170 | | | |
| Pipe alu-galva Ø100/60 2000mm | | | 24176 | |
| Pipe alu-galva Ø100/60 2000mm, anthracite | | | 24177 | |
| Pipe alu-galva Ø100/60 1000mm | | | 24148 | |
| Pipe alu-galva Ø100/60 1000mm, anthracite | | | 24149 | |
| Pipe alu-galva Ø100/60 500mm, adjustable | | | 24150 | |
| Pipe alu-galva Ø100/60 500mm, adjustable, anthracite | | | 24151 | |
| Pipe alu-galva Ø100/60 telescopic 325-440mm | | | 24152 | |
| Bend alu-galva 90° Ø100/60, smooth | | | 24153 | |
| Bend alu-galva 90° Ø100/60, smooth, anthracite | | | 24154 | |
| Bend alu-galva 45° Ø100/60, smooth | | | 24155 | |
| Roof terminal alu-galva Ø100/60 BD300 | | | 24156 | |
| Roof terminal alu-galva Ø100/60 BD580 | | | 24157 | |
| Wall terminal alu-galva Ø100/60 | | | 24158 | |
| T-piece alu-galva Ø100/60 L=260 for inspection purposes | | | 24164 | |
| Pipe alu-galva Ø100/60 L=165 with two measuring points | | | 24165 | |
| Pipe alu-galva Ø150/80 1000mm | | 24035 | | |
| Pipe alu-galva Ø150/80 1000mm, anthracite | | 24041 | | |
| Pipe alu-galva Ø150/80 500mm, adjustable | | 24036 | | |
| Pipe alu-galva Ø150/80 500mm, adjustable, anthracite | | 24042 | | |
| Pipe alu-galva Ø150/80 telescopic 275-390mm | | 24037 | | |
| Bend alu-galva 90° Ø150/80, ribbed | | 24033 | | |
| Bend alu-galva 90° Ø150/80, smooth, anthracite | | 24044 | | |
| Bend alu-galva 45° Ø150/80, set of 2 pieces | | 24034 | | |
| Bend alu-galva 45° Ø150/80, smooth, anthracite, set of 2 pieces | | 24128 | | |
| Roof terminal alu-galva Ø150/80 | | 24029 | | |
| Chimney top alu-galva Ø150/80 | | 24094 | | |
| Wall terminal alu-galva Ø150/80 | | 24045 | | |
| T-piece alu-galva Ø150/80 L=270 for inspection purposes | | 24077 | | |
| Pipe alu-galva Ø150/80 L=165 with two measuring points | | 24085 | | |
| Pipe alu-galva Ø150/100 1000mm | 24088 | | | |
| Pipe alu-galva Ø150/100 1000mm, anthracite | 24112 | | | |
| Pipe alu-galva Ø150/100 500mm, adjustable | 24089 | | | |
| Pipe alu-galva Ø150/100 500mm, adjustable, anthracite | 24113 | | | |
| Pipe alu-galva Ø150/100 telescopic 275-390mm | 24092 | | | |
| Bend alu-galva 90° Ø150/100, ribbed | 24090 | | | |

| | | | | |
|--|-------|--|--|-------|
| Bend alu-galva 90° Ø150/100, smooth, anthracite | 24114 | | | |
| Bend alu-galva 45° Ø150/100, set of 2 pieces | 24093 | | | |
| Bend alu-galva 45° Ø150/100, smooth, anthracite, set of 2 pieces | 24127 | | | |
| | | | | |
| Roof terminal alu-galva Ø150/100 BD300 | 24086 | | | |
| Chimney top alu-galva Ø150/100 | 24097 | | | |
| Wall terminal alu-galva Ø150/100 | 24087 | | | |
| | | | | |
| T-piece alu-galva Ø150/100 L=270 for inspection purposes | 24129 | | | |
| Pipe alu-galva Ø150/100 L=160 with two measuring points | 24098 | | | |
| | | | | |
| Flue duct rectangular 310x100, 1000mm | | | | 22986 |
| Flue adapter straight, rectangular 310x100 to Ø150/100 | | | | 22987 |
| Flue adapter 90°, rectangular 310x100 to Ø150/100 | | | | 22988 |
| | | | | |
| | | | | |
| | | | | |

Dru Verwarming B.V. uses the concentric flue system without the blue sealing rings.
If an appliance is installed with the DRU PowerVent system, the concentric alu-galva flue system has to be used with red sealing rings.

TABLE 2
(Belongs to Declaration/Certificate 91548/01)

| Description | 150/100 Stainless Steel | 200/130 Stainless Steel |
|---|-------------------------------|-------------------------------|
| Reducer SST Ø200/130 to Ø150/100 | 62858 | |
| Pipe SST Ø150/100 1000mm | 24102 | |
| Pipe SST Ø150/100 1000mm, anthracite | 62863 | |
| Pipe SST Ø150/100 500mm, adjustable | 24103 | |
| Pipe SST Ø150/100 500mm, adjustable, anthracite | 62864 | |
| Pipe SST Ø150/100 telescopic 275-390mm | 24104 | |
| Bend SST 90° Ø150/100, ribbed | 24105 | |
| Bend SST 90° Ø150/100, smooth, anthracite | 62865 | |
| Bend SST 45° Ø150/100, set of 2 pieces | 24106 | |
| Bend SST 45° Ø150/100, smooth, anthracite, set of 2 pieces | 62866 | |
| Bend SST 30° Ø150/100, ribbed | 24136 | |
| Bend SST 15° Ø150/100, ribbed | 24135 | |
| Roof terminal SST Ø150/100, BD300 | 24107 | |
| Roof terminal SST Ø150/100, BD580 | 62862 | |
| Chimney top SST Ø150/100 | 24108 | |
| Wall terminal SST Ø150/100 | 24109 | |
| T-piece SS Ø150/100 L=270 for inspection with sampling points | 62859 | |
| Pipe SS Ø150/100 L=160 with two measuring points | 62860 | |
| Inspection elbow SS 90° Ø150/100 | 62861 | |
| Pipe SST Ø200/130 1000mm | | 62851 |
| Pipe SST Ø200/130 500mm, adjustable | | 62852 |
| Pipe SST Ø200/130 500mm, telescopic 355-495mm | | 24181 |
| Bend SST 90° Ø200/130, ribbed | | 62853 |
| Bend SST 45° Ø200/130, per piece | | 62854 |
| Wall terminal SST Ø200/130 | | 62855 |
| T-piece SS Ø200/130 L=355 for inspection with sampling points | | 62856 |
| Pipe SS Ø200/130 L=160 with two measuring points | | 62857 |
| Inspection elbow SS 90° Ø200/130 | | 24182 |
| | | |
| | | |