
## decoflame® Montreal CLEARDenver F6 720 FT500 Open front and back 800x400x408mm, Black

1x 110mm low glass front and 1x full glass "CLEAR" back with remote control and bluetooth / app control and 6 step flame level Wall cut-out "810x410x408mm"



Dimensions are in millimeters	
REVISION:	Date 14-07-2021
-	14-07-2021
Author: TTK	
Copyright of Decoflame ApS Denmark, whose property this document remains. No part thereof may be disclosed, copied, duplicated or in any other way made use of, except with the approval of Decoflame ApS.	

#### **ATTENTION**

Reservations are made for glass tolerances both in length and height of ± 2.5mm and in thickness of ± 0.3mm according to DS/EN 12150.

DecoFlame ApS decoflame TLF: +45 96 30 48 00 www.decoflame.com SCALE: 1:10


FORMAT: A3


Page 1 OF 4

Order Number - Customer - Reference:

PRINCIPLE Montreal Clear Front and Back - conv. 800x400x408mm - 1x Denver F6 720 - low high glass

Customer Approval Signature - Date





#### General Installation Guidelines for "decoflame® made to measure fireplaces", open to two sides:

It is essential to maintain a 5mm gap all the way around the fireplace (Cut-out = Fireplace Dimensions + 10mm) This gap must

As the edges of the cut-out remain visible it is important that they are done to the highest possible finish. All four corners of the cut out must have exactly a 90 degree angle.

All surfaces inside the wall cut-out are to be covered with fibre plaster sheets or other non-inflammable materials.

The cut-out is made according to the attached drawing.

Make sure to create a closed cavity for the section below the base plate of the fire and above the roof of the fireplace.

### Exploded view showing the installation process.

1. The body of the fireplace is centered in the wall cut out.

Glass back "Clear" sealed with heat resistant silicone.


Secured with the fasteners. Depending on type the of wall

Connect to power socket and place the burner


Gently place the glass front on glass holders.

	4	DecoFlame ApS	SCALE: 1:10	
3	5	Vang Mark 2 9380 Vestbjerg	FORMAT: A3	
	decoflame	TLF: +45 96 30 48 00 www.decoflame.com	Page 3 OF 4	
	Order Number - Customer - Reference:			
	PRINCIPLE Montreal Clear Front and Back - conv.			
	800x400x408mm - 1x Denver F6 720 - low high glass			
	Customer Approval Signature - Date			


# **IMPORTANT INFORMATION** Particulars of the wall in which the fireplace shall be installed



**DO NOT!** install the fireplace in a wall construction which is open above and below the fireplace. The warm air will cause turbulences inside this hollow construction which will have a negative impact on the flames.



**DO!** install the fireplace in an open-wall construction, which is closed above and below the fireplace. Make sure to create a closed cavity for the section below the base plate of the fire.



Dimensions are in millimeters		
REVISION:	Date 14-07-2021	
Author: TTK		
Copyright of Decoflame ApS Denmark whose property this document remains No part thereof may be disclosed, copied, duplicated or in any other war made use of, except with the approve of Decoflame ApS.		